

RPC598Hu05 100µg

Recombinant Vanin 1 (VNN1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Gln22~Gly491

Tags: Two N-terminal Tags, His-tag and SUMO-tag

Subcellular Location: Membrane

Purity: > 80%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.2

Predicted Molecular Mass: 66.0kDa

Accurate Molecular Mass: 68kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



QDTFTAAVY	EHAAILPNAT	LTPVSREEAL	ALMNRNLDIL	EGAITSAADQ	GAHIIVTPED	AIYGWNFNRD
SLYPYLEDIP	DPEVNWIPCN	NRNRFGQTPV	QERLSCLAKN	NSIYVVANIG	DKKPCDTSDP	QCPPDGRYQY
NTDVVFDSQG	KLVARYHKQN	LFMGENQFNV	PKEPEIVTFN	TTFGSFGIFT	CFDILFHDPA	VTLVKDFHVD
TIVFPTAWMN	VLPHLSAVEF	HSAWAMGMRV	NFLASNIHYP	SKKMTGSGIY	APNSSRAFHY	DMKTEEGKLL
LSQLDSHPSH	SAVVNWTSYA	SSIEALSSGN	KEFKGTVFFD	EFTFVKLTGV	AGNYTVCQKD	LCCHLSYKMS
ENIPNEVYAL	GAFDGLHTVE	GRYYLQICTL	LKCKTTNLNT	CGDSAETAST	RFEMFSLSGT	FGTQYVFPEV
LLSENQLAPG	EFQVSTDGRL	FSLKPTSGPV	LTVTLFGRLY	EKDWASNASS	G	

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.