

RPA547Mu02 100ug

Recombinant Vascular Cell Adhesion Molecule 1 (VCAM1)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Pro511~Thr682 (Accession # P29533)

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted

**Purity:** > 95%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point: 5.9** 

Predicted Molecular Mass: 20.3kDa

**Accurate Molecular Mass:** 18kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]



PKETTIWVSP SPILEEGSPV NLTCSSDGIP
APKILWSRQL NNGELQPLSE NTTLTFMSTK RDDSGIYVCE GINEAGISRK SVELIIQVSP
KDIQLTVFPS KSVKEGDTVI ISCTCGNVPE TWIILKKKAK TGDMVLKSVD GSYTIRQAQL
QDAGIYECES KTEVGSQLRS LT

# [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.