

RPB818Po01 50µg

Recombinant Vascular Endothelial Growth Factor Receptor 1 (VEGFR1)

Organism Species: Sus scrofa; Porcine (Pig)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression. Host: *E. coli* Residues: Pro167~Ala424 Tags: Two N-terminal Tags, His-tag and GST-tag Tissue Specificity: Lung, Liver, Kidney, Heart, Brain. Purity: >98% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 8.6 Predicted Molecular Mass: 60.9kDa

Accurate Molecular Mass: 59kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

PEPQ ITWFKNNHKI QQEPALFYGQ EAARCLLKES RKRMKASITA EPPTRRGPRR ARHTSPCKMS SSEIKADYLS IIMDPDEVPL DEQCERLPYD ASKWEFARER LKLGKSLGRG AFGKVVQASA FGIKKSPTCR TVAVKMLKEG ATASEYKALM TELKILTHIG HHLNVVNLLG ACTKQGGPLM VIVEYCKYGN LSNYLKSKRA LFFINKDAAL HVEPKKEKME PDPEPGKKQR LDSVTSSESF ASSGFQEDKS LSDA

[IDENTIFICATION]




Figure 1. SDS-PAGE