
RPG905Mu01 100µg Recombinant Vasorin (VASN) Organism Species: Mus musculus (Mouse) *Instruction manual*

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Asn299~Ala559 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: Q9CZT5 Host: *E. coli* Subcellular Location: Membrane; Single-pass type I membrane protein. Purity: >90% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as Iyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 7.6 Predicted Molecular Mass: 32.1kDa Accurate Molecular Mass: 36kDa as determined by S




(May be suitable for use in other assays to be determined by the end user.)

Note: The possible reasons that the actual band size differs from the predicted are as follows:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008; ISO13485:2003 11271 Richmond Avenue Suite H104. Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Http://www.cloud-clone.us | E-mail: mail@cloud-clone.us Export Processing Zone Building F. Wuhan, Hubei 430056, PRC | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Http://www.uscnk.com | E-mail: mail@uscnk.com



ික<u> Cloud-Clone Co</u>rp.

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

NP FNCLCPLSWF GPWVRENHVV LASPEETRCH FPPKNAGRLL LDLDYADFGC PVTTTTATVP TIRSTIREPT LSTSSQAPTW PSLTEPTTQA STVLSTAPPT MRPAPQPQDC PASICLNGGS CRLGARHHWE CLCPEGFIGL YCESPVEQGM KPSSIPDTPR PPPLLPLSIE PVSPTSLRVK LQRYLQGNTV QLRSLRLTYR NLSGPDKRLV TLRLPASLAE YTVTQLRPNA TYSICVTPLG AGRTPEGEEA CGEANTSQA