

RPL821Hu01 10µg

Recombinant Wingless Type MMTV Integration Site Family, Member 1 (WNT1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ala28~Leu370

Tags: N-terminal His and GST Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% SKL, 5%

Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 68kDa

Accurate Molecular Mass: 66kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 100mM NaHCO₃, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

		ANS	SGRWWGIVNV	ASSTNLLTDS
KSLQLVLEPS	LQLLSRKQRR	LIRQNPGILH	SVSGGLQSAV	RECKWOFRNR
RWNCPTAPGP	HLFGKIVNRG	CRETAFIFAI	TSAGVTHSVA	RSCSEGSIES
CTCDYRRRGP	GGPDWHWGGC	SDNIDFGRLF	GREFVDSGEK	GRDLRFLMNL
HNNEAGRTTV	FSEMRQECKC	HGMSGSCTVR	TCWMRLPTLR	AVGDVLRDRF
DGASRVLYGN	RGSNRASRAE	LLRLEPEDPA	HKPPSPHDLV	YFEKSPNFCT
YSGRLGTAGT	AGRACNSSSP	ALDGCELLCC	GRGHRTRTQR	VTERCNCTFH
WCCHVSCRNC	THTRVLHECL			

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.