

RPL820Hu01 10µg

Recombinant Wingless Type MMTV Integration Site Family, Member 2 (WNT2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Ser26~Thr360

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 41.3kDa

Accurate Molecular Mass: 41kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



### [SEQUENCE]

		SWWYM	RATGGSSRVM	CDNVPGLVSS
QRQLCHRHPD	VMRAISQGVA	<b>EWTAECQHQF</b>	RQHRWNCNTL	DRDHSLFGRV
LLRSSRESAF	VYAISSAGVV	FAITRACSQG	EVKSCSCDPK	KMGSAKDSKG
<b>IFDWGGCSDN</b>	IDYGIKFARA	<b>FVDAKERKGK</b>	DARALMNLHN	NRAGRKAVKR
FLKQECKCHG	VSGSCTLRTC	WLAMADFRKT	GDYLWRKYNG	AIQVVMNQDG
<b>TGFTVANERF</b>	KKPTKNDLVY	FENSPDYCIR	DREAGSLGTA	GRVCNLTSRG
MDSCEVMCCG	RGYDTSHVTR	MTKCGCKFHW	CCAVRCQDCL	EALDVHTCKA
<b>PKNADWTTAT</b>				

# [ IDENTIFICATION ]




Figure. SDS-PAGE

### [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.