NPA544Mu01 50μg Native Immunoglobulin G (IgG) Organism Species: Mus musculus (Mouse) Instruction manual

# FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

1304 Langham Creek Dr. Suite 226, Houston, TX 77084, USA | 001-888-960-7402 | www.cloud-cloue.us | mail@cloud-clone.as Export Processing Zone, Wuhan, Hubei 436056, PRC | 0086-000-880-0687 | www.cloud-clone.com | mail@cloud-clone.com

## Coud-Clone Corp.

#### [PROPERTIES]

Source: Natural Extract Host: Mouse (Serum) Tissue Specificity: Serum. Subcellular Location: Secreted. Purity: >94% as determined by SDS-PAGE. Purification Methods: Salt co-precipitation and ionic-Exchange chromatography. Traits: Freeze-dried powder Buffer Formulation: PBS, pH7.4, containing 1mM DTT, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 8.0 Accurate Molecular Mass: 25&55kDa Observe Molecular Mass: 25&55kDa

### [<u>USAGE</u>]

Reconstitute in PBS (PH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



#### [IDENTIFICATION]




Figure 1. SDS-PAGE