RPG151Hu01 100µg Recombinant Aspartate Beta Hydroxylase (ASPH) Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)


[PROPERTIES]

Residues: Arg562~IIe758Tags: Two N-terminal Tags, His-tag and T7-tagKDa
70Accession: Q1279744Host: *E. coli*33Subcellular Location: Endoplasmic26reticulum, Membrane.22Purity: >95%18Endotoxin Level: <1.0EU per 1µg</th>14(determined by the LAL method).14Formulation: Supplied as Iyophilized form in PBS,
pH7.4, containing 5% trehalose, 0.01% sarcosyl.16Predicted isoelectric point: 8.7Predicted Molecular Mass: 26.6kDaApplications: SDS-PAGE; WB; ELISA; IP.10

(May be suitable for use in other assays to be determined by the end user.)

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.





[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

RSLYNVNGL KAQPWWTPKE TGYTELVKSL ERNWKLIRDE GLAVMDKAKG LFLPEDENLR EKGDWSQFTL WQQGRRNENA CKGAPKTCTL LEKFPETTGC RRGQIKYSIM HPGTHVWPHT GPTNCRLRMH LGLVIPKEGC KIRCANETKT WEEGKVLIFD DSFEHEVWQD ASSFRLIFIV DVWHPELTPQ QRRSLPAI