

RPC897Hu01 10µg

Recombinant Dynactin 2 (DCTN2)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ala2~Lys401

Tags: N-terminal His Tag

Subcellular Location: Membrane, Chromosome

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.1

Predicted Molecular Mass: 47.8kDa

Accurate Molecular Mass: 50kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

ADPKYADLP GIARNEPDVY ETSDLPEDDQ AEFDAEELTS TSVEHIIVNP
NAAYDKFKDK RVGTKGLDFS DRIGTKRGTG YESGEYEMLG EGLGVKETPQ
QKYQRLLHEV QELTTEVEKI KTTVKESATE EKLTPVLLAK QLAALKQQLV
ASHLEKLLGP DAAINLTDPD GALAKRLLLQ LEATKNSKGG SGGKTTGTPP
DSSLVTYELH SRPEQDKFSQ AAKVAELEKR LTELETAVRC DQDAQNPLSA
GLQGACLMET VELLQAKVSA LDLAVLDQVE ARLQSVLGKV NEIAKHKASV
EDADTQSKVH QLYETIQRWS PIASTLPELV QRLVTIKQLH EQAMQFGQLL
THLDTTQQMI ANSLKDNTTL LTQVQTTMRE NLATVEGNFA SIDERMKCLG
K

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.