

RPS092Mu01 10µg

Recombinant Hyaluronoglucosaminidase 1 (HYAL1)

Organism Species: *Mus musculus* (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Gly52~Met462

Tags: N-terminal His Tag

Subcellular Location: Secreted, Chromosome

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.8

Predicted Molecular Mass: 47.7kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

GSVVSNRPF
 ITVWNGDTHW CLTEYGVDVD VSVFDVVANK EQSFQGSNMT IFYREELGTY PYYTPTGEPV
 FGGLPQNASL VTHLAHTFQD IKAAMPEPDF SGLAVIDWEA WRPRWAFNWD SKDIYRQRSM
 ELVQAEHPDW PETLVEAAAK NQFQEAAEAW MAGTLQLGQV LRPRGLWGYG GFPDCYNNDP
 LSLNYTGQCP VFVRDQNDQL GWLWNQSYAL YPSIYLPAL MGTEKSQMYV RHRVQEALRV
 AIVSRDPHVP VMPYVQIFYE MTDYLLPLEE LEHSLGESAA QGVAGAVLWL SSDKTSTKES
 CQAIKAYMDS TLGPFIVNVT SAALLCSEAL CSGHGRCVRH PSYPEALLTL NPASFSELT
 HDGRPPSLKG TSLKDRQAM AMKFRRCYR GWRGKWCDKR GM

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.