

RPD956Hu01 100µg

Recombinant Photoreceptor Cell Specific Nuclear Receptor (PNR)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Asn410

Tags: N-terminal His and GST Tag

Subcellular Location: Nucleus

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.2

Predicted Molecular Mass: 74.7kDa

Accurate Molecular Mass: 75kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



```
METRPTALMS STVAAAAPAA GAASRKESPG RWGLGEDPTG VSPSLQCRVC GDSSSGKHYG IYACNGCSGF FKRSVRRRLI YRCQVGAGMC PVDKAHRNQC QACRLKKCLQ AGMNQDAVQN ERQPRSTAQV HLDSMESNTE SRPESLVAPP APAGRSPRGP TPMSAARALG HHFMASLITA ETCAKLEPED ADENIDVTSN DPEFPSSPYS SSSPCGLDSI HETSARLLFM AVKWAKNLPV FSSLPFRDQV ILLEEAWSEL FLLGAIQWSL PLDSCPLLAP PEASAAGGAQ GRLTLASMET RVLQETISRF RALAVDPTEF ACMKALVLFK PETRGLKDPE HVEALQDQSQ VMLSQHSKAH HPSQPVRFGK LLLLLPSLRF ITAERIELLF FRKTIGNTPM EKLLCDMFKN
```

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.