RPG901Hu01 100µq Recombinant Voltage Dependent Anion Channel Protein 1 (VDAC1) **Organism Species: Homo sapiens (Human)** Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

C Cloud-Clone Corp.

10th Edition (Revised in Jan, 2014)

kDa 70

44

33

26

22 18

14

10

[PROPERTIES]

Residues: Ala2~Ala283 Tags: Two N-terminal Tags, His-tag and GST-tag Accession: P21796 Host: E. coli Subcellular Location: Mitochondrion outer membrane. Cell membrane. **Purity:** >90% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. 15% SDS-PAGE Predicted isoelectric point: 8.6 Predicted Molecular Mass: 60.6kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

Cloud-Clone Corp.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

AVPPTYADL GKSARDVFTK GYGFGLIKLD LKTKSENGLE FTSSGSANTE TTKVTGSLET KYRWTEYGLT FTEKWNTDNT LGTEITVEDQ LARGLKLTFD SSFSPNTGKK NAKIKTGYKR EHINLGCDMD FDIAGPSIRG ALVLGYEGWL AGYQMNFETA KSRVTQSNFA VGYKTDEFQL HTNVNDGTEF GGSIYQKVNK KLETAVNLAW TAGNSNTRFG IAAKYQIDPD ACFSAKVNNS SLIGLGYTQT LKPGIKLTLS ALLDGKNVNA GGHKLGLGLE FQA